

# COWPEAS

## BROWN MIXED

### OVERVIEW

Mixed Cowpea is as the name defines a mix between a determinate and an indeterminate growth habit brown cowpea, very much suited to Southern African conditions. Cowpeas are sensitive to day lengths as well as temperature sensitive, which determines growth pattern.

The following are points to bear in mind:

- Soil to be free of weeds
- Planting rate 50kg / ha
- Flowering will begin at 65 to 70 days

Yields of up to 1 1/2 mt/ha are possible depending on weather. An exceptional drought tolerant and disease resistant cultivar. Very widely adapted to different kinds of soil.

- Mix between determinate and indeterminate growth habit
- 50kg/ha planting rate
- 65-70 days to flower
- Yields of up to 1 1/2 mt/ha



# AKKERBONE

## GEMENGDE BRUIN

### OORSIG

Gemengde akkerbone is soos die naam definieër 'n mengsel tussen 'n bepaalde en 'n onbepaalde groeiwyse, bruin akkerboon, baie geskik vir Suider-Afrikaanse toestande. Akkerbone is sensitief vir daglig lengtes asook temperatuur sensitief, wat groeipatroon bepaal.

Die volgende is punte wat jy in gedagte moet hou:

- Doel om onkruid vry te wees
- Saaidigtheid 50kg / ha
- Blomstadium begin 65 tot 70 dae

Opbrengste van tot 1 1/2 mt/ha is moontlik, afhangende van die weer. Uitsonderlike droogte verdraagsaam en siekte bestande kultivar. Baie wyd aangepas op verskillende tipes grond.

- Mengsel tussen bepaalde en onbepaalde groeiwyse
- 50kg / ha Saaidigtheid
- 65-70 dae tot blom
- Opbrengste van tot 1 1 / 2 mt / ha

