## GROUNDNUT AKWA

AKWA has a growth period of 150 days and a good resistance to Pod Nematode, Black Hull and Sclerotinia. It has a good yield potential and was developed by the ARC.

- Growth Period of 150 days
- Good Resistance to Pod Nematode, Black Hull and Sclerotinia
- Good yield potential








## 2016/17 Evaluation Trials

Yield (Kg/ha)

	Dryland						Irrigation			
Cultivar	Bultfontein	Setlagole	Hoopstad	Bothaville	Schweizer- Reneke	AVERAGE DRYLAND	Delareyville	Hartswater	Prieska	AVERAGE IRRIGATION
Akwa	4,062	2,534	3,186	4,936	1,569	3,257	1,290	3,143	2,470	2,301
Anel	4,823	2,900	3,689	4,782	2,258	3,690	1,375	3,354	2,678	2,469
ARC-SelliePlus	4,386	2,712	4,443	4,993	2,191	3,745	1,380	3,627	2,799	2,602
ARCOpal	3,792	2,615	3,386	4,585	1,717	3,219	1,044	2,464	2,584	2,031
ARC-AkwaPlus	4,202	2,390	3,067	4,215	1,842	3,143	780	2,806	2,421	2,002
ARC-Oleic2	2,994	2,651	3,361	2,076	1,711	2,559	1,282	2,027	2,692	2,000
GP023	4,295	2,366	2,954	4,261	1,939	3,163	1,224	3,968	2,810	2,667
GP033	3,994	2,509	3,204	4,340	1,743	3,158	1,113	3,131	2,526	2,257
GP035	4,121	2,440	3,288	4,643	1,666	3,232	1,136	2,245	2,325	1,902
Kwarts	3,333	2,503	2,618	3,829	1,514	2,759	619	2,273	1,985	1,626
Namib	3,845	2,444	2,839	4,181	1,829	3,028	1,007	2,383	2,340	1,910
Tufa	4,351	2,627	3,527	3,772	1,956	3,247	1,009	3,624	2,333	2,322
Average	4,017	2,558	3,297	4,218	1,828	3,183	1,105	2,920	2,497	2,174




IMPORTANT: Please note that the planting conditions and rainfall during the 2016/17 season were exceptionally good and as such the results of the trials should be considered with this in mind. Results from earlier and future trials must be taken



## 2016/17 Evaluation Trials

## Choice (%)

	Dryland						Irrigation			
Cultivar	Bultfontein	Setlagole	Hoopstad	Bothaville	Schweizer Reneke	AVERAGE DRYLAND	Delareyville	Hartswater	Prieska	AVERAGE IRRIGATION
Akwa	60%	87%	80%	91%	76%	79%	87%	85%	76%	83%
Anel	89%	88%	83%	86%	76%	84%	84%	83%	74%	80%
ARC - SelliePlus	91%	86%	83%	89%	80%	86%	85%	87%	82%	85%
ARC Opal	89%	87%	88%	86%	70%	84%	79%	87%	80%	82%
ARC-AkwaPlus	89%	87%	81%	83%	77%	83%	80%	78%	73%	77%
ARC-Oleic2	69%	89%	73%	76%	68%	75%	81%	67%	84%	77%
GP023	86%	87%	83%	87%	76%	84%	49%	82%	81%	71%
GP033	89%	90%	80%	84%	79%	84%	80%	86%	76%	81%
GP035	80%	78%	77%	79%	65%	76%	78%	82%	70%	77%
Kwarts	86%	93%	87%	87%	69%	84%	75%	84%	75%	78%
Namib	77%	73%	81%	80%	49%	72%	74%	73%	78%	75%
Tufa	75%	83%	84%	83%	60%	77%	81%	61%	84%	75%
Average	82%	86%	82%	84%	70%	81%	78%	80%	78%	78%



IMPORTANT: Please note that the planting conditions and rainfall during the 2016/17 season were exceptionally good and as such the results of the trials should be considered with this in mind. Results from earlier and future trials must be taken into account to determine a reliable average.

